

焊接式·穿心电容器+馈通EMI滤波器·选型表

外壳大直径与小直径 (部分没有小直径) 3.6mm*3.0mm	材料	工作电压 (V)	容量 (pF)	精度
HK-SRC5000100ZC0	NP0/COG	500	10	-20%~+80%
HK-SRC5000220ZC0	NP0/COG	500	22	-20%~+80%
HK-SRC5000470ZC0	NP0/COG	200	47	-20%~+80%
HK-SRC5000101ZC0	NP0/COG	200	100	-20%~+80%
HK-SRC5000221ZC0	NP0/COG	200	220	-20%~+80%
HK-SRC5000471ZX0	X7R	200	470	-20%~+80%
HK-SRC5000102ZX0	X7R	200	1000	-20%~+80%
HK-SRC5000222ZX0	X7R	200	2200	-20%~+80%
HK-SRC5000472ZX0	X7R	200	4700	-20%~+80%
HK-SRC2000103ZX0	X7R	200	10000	-20%~+80%
HK-SRC1000223ZX0	X7R	100	22000	-20%~+80%
HK-SRC0500473ZX0	X7R	50	47000	-20%~+80%

外壳大直径与小直径 (部分没有小直径) 4.0mm*3.3mm	材料	工作电压 (V)	容量 (pF)	精度
HK-SFSTC5000100ZC0	NP0/COG	500	10	-20%~+80%
HK-SFSTC5000150ZC0	NP0/COG	500	15	-20%~+80%
HK-SFSTC5000220ZC0	NP0/COG	500	22	-20%~+80%
HK-SFSTC5000330ZC0	NP0/COG	500	33	-20%~+80%
HK-SFSTC5000470ZC0	NP0/COG	500	47	-20%~+80%
HK-SFSTC5000680MC0	NP0/COG	500	68	±20%
HK-SFSTC5000101MC0	NP0/COG	200	100	±20%
HK-SFSTC5000151MC0	NP0/COG	200	150	±20%
HK-SFSTC5000221MC0	NP0/COG	200	220	±20%
HK-SFSTC5000331MC0	NP0/COG	200	330	±20%
HK-SFSTC5000471MC0	NP0/COG	200	470	±20%
HK-SFSTC5000681MC0	NP0/COG	200	680	±20%
HK-SFSTC5000102MX0	X7R	200	1000	±20%
HK-SFSTC5000152MX0	X7R	200	1500	±20%
HK-SFSTC5000222MX0	X7R	200	2200	±20%
HK-SFSTC5000332MX0	X7R	200	3300	±20%
HK-SFSTC5000472MX0	X7R	200	4700	±20%
HK-SFSTC5000682MX0	X7R	200	6800	±20%
HK-SFSTC5000103MX0	X7R	200	10000	±20%
HK-SFSTC5000153MX0	X7R	200	15000	±20%
HK-SFSTC5000223MX0	X7R	200	22000	±20%
HK-SFSTC3000333MX0	X7R	200	33000	±20%
HK-SFSTC2000473MX0	X7R	200	47000	±20%
HK-SFSTC1000683MX0	X7R	100	68000	±20%
HK-SFSTC0500104MX0	X7R	50	100000	±20%

外壳大直径与小直径 (部分没有小直径) 2.0mm*1.6mm	材料	工作电压 (V)	容量 (pF)	精度
HK-SFSRC20005R6MC0	NP0/COG	200	5.6	±20%
HK-SFSRC20006R0MC0	NP0/COG	200	6	±20%
HK-SFSRC20006R8MC0	NP0/COG	200	6.8	±20%
HK-SFSRC20007R5MC0	NP0/COG	200	7.5	±20%

HK-SFSRC20008R2MCO	NP0/COG	200	8.2	±20%
HK-SFSRC20009R1MCO	NP0/COG	200	9.1	±20%
HK-SFSRC2000100MCO	NP0/COG	200	10	±20%
HK-SFSRC2000120MCO	NP0/COG	200	12	±20%
HK-SFSRC2000150MCO	NP0/COG	200	15	±20%
HK-SFSRC2000180MCO	NP0/COG	200	18	±20%
HK-SFSRC2000200MCO	NP0/COG	200	20	±20%
HK-SFSRC2000220MCO	NP0/COG	200	22	±20%
HK-SFSRC2000270MCO	NP0/COG	200	27	±20%
HK-SFSRC2000330MCO	NP0/COG	200	33	±20%
HK-SFSRC2000390MCO	NP0/COG	200	39	±20%
HK-SFSRC2000470MCO	NP0/COG	200	47	±20%
HK-SFSRC2000560MCO	NP0/COG	200	56	±20%
HK-SFSRC2000101MCO	NP0/COG	200	100	±20%
HK-SFSRC2000102MX0	X7R	200	1000	±20%
HK-SFSRC2000122MX0	X7R	200	1200	±20%
HK-SFSRC2000152MX0	X7R	200	1500	±20%
HK-SFSRC2000182MX0	X7R	200	1800	±20%
HK-SFSRC2000202MX0	X7R	200	2000	±20%
HK-SFSRC2000222MX0	X7R	200	2200	±20%
HK-SFSRC2000272MX0	X7R	200	2700	±20%
HK-SFSRC2000302MX0	X7R	200	3000	±20%
HK-SFSRC2000332MX0	X7R	200	3300	±20%
HK-SFSRC2000392MX0	X7R	200	3900	±20%
HK-SFSRC2000472MX0	X7R	200	4700	±20%
HK-SFSRC2000512MX0	X7R	200	5100	±20%
HK-SFSRC2000562MX0	X7R	200	5600	±20%
HK-SFSRC2000602MX0	X7R	200	6000	±20%
HK-SFSRC2000682MX0	X7R	200	6800	±20%
HK-SFSRC2000752MX0	X7R	200	7500	±20%
HK-SFSRC2000822MX0	X7R	200	8200	±20%
HK-SFSRC2000103MX0	X7R	200	10000	±20%

外壳大直径与小直径
(部分没有小直径) 2.5mm*0.8mm

	材料	工作电压 (V)	容量 (pF)	精度
HK-SFSSC5000100ZC00066	NP0/COG	500	10	-20%~+80%
HK-SFSSC5000220ZC00066	NP0/COG	500	22	-20%~+80%
HK-SFSSC5000470ZC00066	NP0/COG	500	47	-20%~+80%
HK-SFSSC5000101ZC00066	NP0/COG	500	100	-20%~+80%
HK-SFSSC5000221ZC00066	NP0/COG	500	220	-20%~+80%
HK-SFSSC5000471ZX00066	X7R	500	470	-20%~+80%
HK-SFSSC5000102ZX00066	X7R	500	1000	-20%~+80%
HK-SFSSC5000222ZX00066	X7R	500	2200	-20%~+80%
HK-SFSSC5000472ZX00066	X7R	500	4700	-20%~+80%
HK-SFSSC2000103ZX00066	X7R	200	10000	-20%~+80%
HK-SFSSC2000223ZX00066	X7R	200	22000	-20%~+80%
HK-SFSSC2000473ZX00066	X7R	200	47000	-20%~+80%

外壳大直径与小直径 (部分没有小直径) 3.0mm*0.8mm		材料	工作电压 (V)	容量 (pF)	精度
HK-SFSSC5000100ZC00046	NP0/COG	500	10	-20%~+80%	
HK-SFSSC5000150ZC00046	NP0/COG	500	15	-20%~+80%	
HK-SFSSC5000220ZC00046	NP0/COG	500	22	-20%~+80%	
HK-SFSSC5000330ZC00046	NP0/COG	500	33	-20%~+80%	
HK-SFSSC5000470ZC00046	NP0/COG	500	47	-20%~+80%	
HK-SFSSC5000680MC00046	NP0/COG	500	68	±20%	
HK-SFSSC5000101MC00046	NP0/COG	500	100	±20%	
HK-SFSSC5000151MC00046	NP0/COG	500	150	±20%	
HK-SFSSC5000221MC00046	NP0/COG	500	220	±20%	
HK-SFSSC5000331MC00046	NP0/COG	500	330	±20%	
HK-SFSSC5000471MX00046	X7R	500	470	±20%	
HK-SFSSC5000681MX00046	X7R	500	680	±20%	
HK-SFSSC5000102MX00046	X7R	500	1000	±20%	
HK-SFSSC5000152MX00046	X7R	500	1500	±20%	
HK-SFSSC5000222MX00046	X7R	500	2200	±20%	
HK-SFSSC5000332MX00046	X7R	500	3300	±20%	
HK-SFSSC5000472MX00046	X7R	500	4700	±20%	
HK-SFSSC5000682MX00046	X7R	500	6800	±20%	
HK-SFSSC5000103MX00046	X7R	500	10000	±20%	
HK-SFSSC5000153MX00046	X7R	500	15000	±20%	
HK-SFSSC5000223MX00046	X7R	500	22000	±20%	
HK-SFSSC5000333MX00046	X7R	500	33000	±20%	
HK-SFSSC2000473MX00046	X7R	200	47000	±20%	
HK-SFSSC2000683MX00046	X7R	200	68000	±20%	
HK-SFSSC1000104MX00046	X7R	100	100000	±20%	
HK-SFSSC0500154MX00046	X7R	50	150000	±20%	

外壳大直径与小直径 (部分没有小直径) 5.0mm*1.0mm		材料	工作电压 (V)	容量 (pF)	精度
HK-SFSSC5000473MX00038	X7R	500	47000	±20%	
HK-SFSSC5000683MX00038	X7R	500	68000	±20%	
HK-SFSSC5000104MX00038	X7R	500	100000	±20%	
HK-SFSSC5000154MX00038	X7R	500	150000	±20%	
HK-SFSSC2000224MX00038	X7R	200	220000	±20%	
HK-SFSSC1000334MX00038	X7R	100	330000	±20%	
HK-SFSSC1000474MX00038	X7R	100	470000	±20%	
HK-SFSSC0500684MX00038	X7R	50	680000	±20%	

外壳大直径与小直径 (部分没有小直径) 9.0mm*1.2mm		材料	工作电压 (V)	容量 (pF)	精度
HK-SFSSC3K00101MC00097	NP0/COG	3000	100	±20%	
HK-SFSSC3K00151MC00097	NP0/COG	3000	150	±20%	
HK-SFSSC3K00221MC00097	NP0/COG	3000	220	±20%	
HK-SFSSC2K00331MC00097	NP0/COG	2000	330	±20%	
HK-SFSSC2K00471MC00097	NP0/COG	2000	470	±20%	
HK-SFSSC2K00681MC00097	NP0/COG	2000	680	±20%	
HK-SFSSC2K00102MC00097	NP0/COG	2000	1000	±20%	
HK-SFSSC2K00152MX00097	X7R	2000	1500	±20%	
HK-SFSSC2K00222MX00097	X7R	2000	2200	±20%	

HK-SFSSC2K00332MX00097	X7R	2000	3300	±20%
HK-SFSSC2K00472MX00097	X7R	2000	4700	±20%
HK-SFSSC2K00682MX00097	X7R	2000	6800	±20%
HK-SFSSC2K00103MX00097	X7R	2000	10000	±20%
HK-SFSSC1K00153MX00097	X7R	1000	15000	±20%
HK-SFSSC1K00223MX00097	X7R	1000	22000	±20%
HK-SFSSC1K00333MX00097	X7R	1000	33000	±20%
HK-SFSSC1K00473MX00097	X7R	1000	47000	±20%
HK-SFSSC1K00683MX00097	X7R	1000	68000	±20%
HK-SFSSC5000104MX00097	X7R	500	100000	±20%
HK-SFSSC5000154MX00097	X7R	500	150000	±20%
HK-SFSSC5000224MX00097	X7R	500	220000	±20%
HK-SFSSC5000334MX00097	X7R	500	330000	±20%
HK-SFSSC5000474MX00097	X7R	500	470000	±20%
HK-SFSSC3000684MX00097	X7R	300	680000	±20%
HK-SFSSC2000105MX00097	X7R	300	1000000	±20%
HK-SFSSC1000155MX00097	X7R	100	1500000	±20%
HK-SFSSC1000225MX00097	X7R	100	2200000	±20%
HK-SFSSC0500335MX00097	X7R	100	3300000	±20%